

FICHA TÉCNICA

REF. **1201**

POLO DE MANGA CORTA COMBINADO



REF. **1201** | POLO DE MANGA CORTA COMBINADO



EPI CAT II




REF. 1201



REF. 1201 + 1061
Amarillo AV y Naranja AV

MÁX
50x



031 Marino/
Amarillo AV



032 Marino/
Naranja AV



041 Azulina/
Amarillo AV



320 Marino/
Rojo AV



051 Gris/
Amarillo AV



052 Gris/
Naranja AV



091 Verde oscuro/
Amarillo AV




101 Verde medio/
Amarillo AV



111 Verde claro/
Amarillo AV

REF. **1201** | POLO DE MANGA CORTA COMBINADO

Instrucciones de lavado	Tallas disponibles	Uds/caja
 <p>Lavar del revés.</p>	2XS / XS / S / M / L / XL / 2XL / 3XL 4XL / 5XL	30 ud

Composición

Tejido técnico (*birdeye*) de 150 g/m² (100% poliéster).

Certificaciones



EN ISO 13688:2013
EN ISO 13688:2013/A1:2021

Ropa de protección. Requisitos generales.



REF. 1201



REF. 1201+1061
Amarillo AV // Naranja AV

EN ISO 20471:2013+A1:2016

Ropa de señalización de alta visibilidad.



Amarillo AV
GRADO UPF 28,88



Rojo AV
GRADO UPF 20



Naranja AV
GRADO UPF 39,87

EN 13758-1:2001+A1:2006

Propiedades protectoras frente a la radiación solar ultravioleta



RET

Resistencia a la evaporación textil
1,62 m² PA/W



50 LAVADOS

Ancho de banda reflectante **6,5cm**




Tabla de medidas		2XS	XS	S	M	L	XL	2XL	3XL	4XL	5XL
		40-42	44-46	48-50	52-54	56-60	60-62	64-66	68-70	72-74	76-78
A	Pecho	46	48	50	52	56	60	64	66	68	70
B	Largo	68	70	72	74	76	78	80	82	84	84
C	Hombros	44	44,5	46	47,5	52	54,5	59	61	62	63
D	Largo manga	23	24	24	24	25	26	26	26	26	26

Medidas en centímetros.